

Comp Door Minimum and Maximum Sheet

This section is to provide the minimum and maximum sizes for each individual door style. The first section is to show the minimum and maximum width for our door styles. At Comp Door, we have 2 minimum widths and 1 maximum width set up. Which enables us to cut the doors down to size within the relevant parameters. The two minimum widths setup are:

- 863mm including the outer frame measurement (**740mm slab width**)
- 723mm including the outer frame measurement (**600mm slab width**)

The one maximum width is:

- 1033mm including the outer frame measurement (**910mm slab width**)



863mm Frame Width (740mm Slab Width)
Whitmore
Elmhurst
Highbury
Middleton 2, 4
Winslow 1, 3
Buxton
Grafton
Aston
Walcot
Harlington
Axwell
Hatton
Fife
Clifton
Sussex
Sutherland
Kent
Westminster
Wellington
Bedford
Cambridge

723mm Frame Width (600mm Slab Width)
Brampton
Cornwall
Richmond
Somerset
Mowbray
Abercorn
Montrose
York
Rutland
Hamilton
Norfolk
Gloucester

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Whitmore/Elmhurst/Highbury

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Middleton 2, 4 & Solid

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Winslow 1, 3 & Solid

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Buxton

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Grafton

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Aston

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Walcot

Minimum Width including the Outer Frame is 863mm

Maximum Width Including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Key

● Slab Width

● Frame Width

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Harlington

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Axwell



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Hatton



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Fife



Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Clifton

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Sussex



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Sutherland



Key

● Slab Width

● Frame Width

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Kent

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Westminster

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Wellington

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Bedford

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Cambridge

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Key

-  Slab Width
-  Frame Width

723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Brampton

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Cornwall

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Richmond

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Somerset

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Mowbray

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Abercorn

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Montrose

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Key

-  Slab Width
-  Frame Width

723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

York

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm




Minimum Slab Width is 600mm

Rutland

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm




Minimum Slab Width is 600mm

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Norfolk

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Gloucester

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Key

 Slab Width

 Frame Width

Minimum and Maximum Heights

The second section shows the Minimum and the Maximum Height for each individual door style. There are a few variations to the Minimum and Maximum height, and they depend on the specification of the door. For example, the threshold options will alter the minimum and maximum height as well as if a cill is needed also.

The Minimum Heights are as follows:

- Minimum Height with a Standard PVC Threshold is 1973mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 2003mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**
- Minimum Height with an Aluminium Threshold is 1931mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 1961mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**

The Maximum Heights are as follows:

- Maximum Height with a Standard PVC Threshold is 2183mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2213mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab Height is 2060mm)**
- Maximum Height with an Aluminium Threshold is 2141mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2171mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab height is 2060mm)**

CompDoor Specification	Minimum Height	Maximum Height
Standard PVC Threshold- No Cill	1973mm	2183mm
Standard PVC Threshold- With a Cill	2003mm	2213mm
Aluminium Threshold- No Cill	1931mm	2141mm
Aluminium Threshold- With a Cill	1961mm	2171mm

Minimum & Maximum Height- Including Slab Height



Whitmore/Elmhurst/Highbury

Middleton 2, 4 & Solid

Winslow 1, 3 & Solid

Buxton

Aston

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Whitmore	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Elmhurst	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Highbury	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Middleton 2, 4 & Solid	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Winslow 1, 3 & Solid	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Buxton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Aston	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Grafton



Walcot



Harlington



Axwell



Hatton

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Grafton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Walcot	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Harlington	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Axwell	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Hatton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Fife



Clifton



Sussex



Sutherland



Kent

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Fife	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Clifton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Sussex	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Sutherland	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Kent	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Westminster

Wellington

Bedford

Cambridge

Brampton

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Westminster	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Wellington	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Bedford	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Cambridge	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Brampton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Cornwall

Richmond



Somerset

Mowbray

Abercorn

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Cornwall	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Richmond	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Somerset	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Mowbray	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Abercorn	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Montrose

York

Rutland

Hamilton

Norfolk/Gloucester

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Slab Height	Max Slab Height
Montrose	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
York	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Rutland	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Hamilton	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Norfolk	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
Gloucester	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”